



Access Flooring



DEFINITION

Definition

An access floor system is an elevated floor area upon another floor, typically a concrete slab in a building. The space between the raised floor and the slab accommodates building services such as power cables, data, telecom, environmental control and HVAC ducting, fire detection and suppression, and security services.

Removable access floor panels make it fast and easy to reach these underfloor systems for maintenance purposes, and to accommodate churn by allowing services to be easily re-routed.






Solid Feel

Solid Feel Range

The Solid Feel Range features a unique isotropic panel design for superior load distribution and a solid, stable feel.

Non-combustible panels are finished with durable conductive coatings. Our access flooring conceals cables, air ducting, and services, while allowing easy access for maintenance and flexible reconfiguration to suit changing office layouts.





LF RANGE

LF Range

Our LF® and Universal understructure systems are designed for excellent stability, strength, and a solid, quiet floor finish across a wide range of environments.

We offer free-standing, screw-down, and stringer systems to suit general offices, computer rooms, and high-traffic areas, with finished floor heights ranging from 90mm to 1500mm.

All systems provide strong load performance, easy access to underfloor services, and flexibility to adapt to changing layouts. Most systems allow full interchangeability across panel types, ensuring a versatile and future-proof flooring solution.

FS Range

A versatile range of understructure systems to suit a wide variety of applications.

- Posi Cap Screw-down System – A rigid, stable solution for general offices, ideal for loose-lay carpet tiles or vinyl finishes.
- Bolt-on Stringer System – Designed for higher floor heights, heavy equipment, and pressurised environments, providing maximum strength and stability.
- Free Standing System – A flexible, screw-free option for general offices, allowing fast and easy access to underfloor services.
- Low Lock Screw-down System – Perfect for height-restricted spaces, delivering reliable performance at low finished floor heights.



OUR SERVICES



- Aluminium & Glass
- Specified Glass
- Privacy Films
- Garage Doors
- Aluminium Composite Panels
- Roller Shutters
- Steel Window Replacement
- Façade Cladding Services
- Fire Doors
- Dry Wall Partitioning & Ceiling Boards
- Trellis Security Doors
- Turnstile
- Plantation Shutters
- Gate Motors
- Blinds

CONTACT US

T +264 61 302 682

sales@buildwise.com.na

15 Nickel Street, Prosperita, Windhoek

5465 Main Road, Ongwediva

30 Einstein Street, Industrial Area, Swakopmund

buildwise.com.na